



## VP-222

### 2x1:2 Computer Graphics Video Switcher

---



Compatible with HDTV component video signals when used with a breakout cable such as the Kramer C-GM/3RVF.



The **VP-222** is a high-performance switcher for computer graphics video signals with resolutions ranging from VGA through UXGA and higher. It switches one of two inputs to two identical outputs.

### FEATURES

---

- High Bandwidth - 365MHz (-3dB).
- HDTV Compatible.
- Compact Kramer TOOLS™ - 3 units can be rack mounted side-by-side in a 1U rack space with the optional RK-3T rack adapter.



## VP-222

### TECHNICAL SPECIFICATIONS

INPUT:	2 analog red, green, blue signals, 0.7Vpp/75Ω, H & V sync, TTL level, on 15-pin HD (F) connectors.
OUTPUT:	2 analog red, green, blue signals, 0.7Vpp/75Ω, H & V syncs, TTL level, on 15-pin HD (F) connectors.
VIDEO BANDWIDTH (-3dB):	365MHz.
NON-LINEARITY:	0.1%.
DIFF. GAIN:	0.06%.
DIFF. PHASE:	0.04Deg.
K-FACTOR:	0.05%.
VIDEO S/N RATIO:	76dB.
CROSSTALK:	-52dB @5MHz.
POWER SOURCE:	12V DC, 120mA.
DIMENSIONS:	12cm x 7.5cm x 2.5cm (4.7" x 2.95" x 0.98") W, D, H.
WEIGHT:	0.25kg (0.55lbs) approx.
ACCESSORIES:	Power supply, mounting bracket.
OPTIONS:	RK-3T 19" rack adapter.

