



**Product Name:** Site-CTRL  
**Current Version:** S – 2.0.0.x  
**Version Date:** April 2014  
**Reference:** Beta Version

**Release Type:**

Firmware       Software       Hardware       New Product

**Kramer Product Affected:**

Product Name	Minimum FW Version for Upgrade	Recommended for All Units	Only if Added Features are Required
Site-CTRL	NR	NR	Yes

**Technical Notes:**

- This is a Beta version release. There are still open issues, mainly with the messaging and emailing system which will be fixed for the first released version.
- Due to major changes in the query system, messages sent to Site-CTRL by queries configured in versions earlier than K-Config 2.0.0.X are not supported in this version.
- The format of messages sent from the master room controller to the Site-CTRL site-monitoring application was updated.
- For the Site-Ctrl solution to operate correctly, **all three** software components (device firmware, K-Config and Site-CTRL) **must** be of the same release version. We strongly advise taking this into consideration before upgrading the firmware on devices already installed or before updating the Site-CTRL installation to the latest version of Site-CTRL 2. If your present AV site is running Site-CTRL configured with the older version of K-Config, consult Kramer Tech support on whether to upgrade the firmware used on this installed AV site.



KRAMER ELECTRONICS, Ltd.

E-mail: [info@kramereel.com](mailto:info@kramereel.com)

Web: [www.kramerelectronics.com](http://www.kramerelectronics.com)



**Codependency with Other Products and Software:**

<b>Product Name</b>	<b>Required Firmware Version</b>
<b>SV-551</b>	This version is not compatible with the SV-551. Users of the SV-551 should continue using older Site-CTRL versions
<b>SV-552</b>	Minimum required SV-552 firmware version for maximum compatibility - 4.0.15.11355
<b>WP-500</b>	This version is not compatible with the WP-500. Users of the WP-500 should continue using older Site-CTRL versions
<b>WP-501</b>	This version is not compatible with the SV-551. Users of the WP-501 should continue using older Site-CTRL versions
<b>SL-1</b>	Minimum required firmware version for maximum compatibility – 4.0.15.11355. In some cases, we recommend not upgrading the firmware and should continue using older Site-CTRL versions. See details in the SL-1 Release notes
<b>SL-12</b>	Minimum required firmware version for maximum compatibility - 4.0.15.11355
<b>SL-14RC</b>	Minimum required firmware version for maximum compatibility will be available in a few weeks. In some cases, we recommend not upgrading the firmware and should continue using older Site-CTRL versions. See details in the SL-14RC Release notes
<b>RC-63D series</b>	Minimum required RC-6X firmware version for maximum compatibility - 4.0.15.11355
<b>RC-63A series</b>	Minimum required RC-6X firmware version for maximum compatibility - 4.0.15.11355
<b>RC-62 series</b>	Minimum required RC-6X firmware version for maximum compatibility - 4.0.15.11355
<b>RC-53D series</b>	Minimum required firmware version for maximum compatibility - 3.2.2.3166



KRAMER ELECTRONICS, Ltd.

E-mail: [info@kramere.com](mailto:info@kramere.com)

Web: [www.kramerelectronics.com](http://www.kramerelectronics.com)



<b>Product Name</b>	<b>Required Firmware Version</b>
<b>RC-53DLC series</b>	Minimum required firmware version for maximum compatibility - 3.2.2.3480
<b>RC-74DL series</b>	Minimum required firmware version for maximum compatibility - 4.0.15.11355
<b>RC-2</b>	Minimum required firmware version for maximum compatibility – 11696
<b>RC-2C</b>	Minimum required firmware version for maximum compatibility - 5866
<b>RC-52/N</b>	Minimum required firmware version for maximum compatibility – 5866
<b>RC-63DLN series</b>	Minimum required firmware version for maximum compatibility – 4.0.15.11355
<b>RC-712M / RC-76M</b>	Minimum required firmware version for maximum compatibility – 4.0.15.11355
<b>RC-78R / RC-76R</b>	Minimum required firmware version for maximum compatibility – 4.0.15.11355
<b>RC-13TC</b>	Minimum required firmware version for maximum compatibility will be available in a few weeks



KRAMER ELECTRONICS, Ltd.

E-mail: [info@kramereel.com](mailto:info@kramereel.com)

Web: [www.kramerelectronics.com](http://www.kramerelectronics.com)



**Product Name:** Site-CTRL  
**Current Version:** S – 2.0.0.x  
**Version Date:** April 2014  
**Reference:** Beta Version

This version includes the following changes from versions 1.x.x.x:

**Added Features:**

- AV site can be divided into a tree view
- The user can select rooms to view in the main room view page
- Scheduled task support (FW upgrade, CFG uploads, Internal clock syncing)
- Support for K-Config 2.0.0.X queries and messaging system

**Modifications:**

- Improved stability when a large number of rooms are monitored

**Known Issues:**

- To be announced with the first released version.

**Preceding Version:** S - 1.x.x.x



KRAMER ELECTRONICS, Ltd.

E-mail: [info@kramereel.com](mailto:info@kramereel.com)

Web: [www.kramerelectronics.com](http://www.kramerelectronics.com)